



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Sacramento*.—Month of August, 1907. Estimated population, 40,000. Total number of deaths, 51, including 7 from tuberculosis. Cases: Diphtheria 5, and scarlet fever 2.

CONNECTICUT—*Bridgeport*.—Month of August, 1907. Estimated population, 95,000. Total number of deaths, 143, including diphtheria 1, measles 1, enteric fever 2, and 22 from tuberculosis. Cases: Diphtheria 14, enteric fever 12, measles 5, scarlet fever 1, whooping cough 2, and phthisis pulmonalis 9.

FLORIDA.—Reports to the State board of health for the week ended September 21, 1907, show as follows: Diphtheria—*Fernandina*, *Green Cove Springs*, and *Tampa*, each 1 case. Enteric fever—*Jacksonville*, 1 case; *Tampa*, 2 cases. Tuberculosis—*Jacksonville*, 2 cases; *Tallahassee* and *Titusville*, each 1 case.

IOWA.—Reports to the State board of health for the month of July, 1907, show as follows: Total number of deaths, 1,343, including diphtheria 3, enteric fever 10, measles 4, scarlet fever 2, whooping cough 8, and 117 from tuberculosis.

MASSACHUSETTS.—Reports from the State board of health for the month of July, 1907, show as follows: Week ended July 6, 1907. Forty-three cities and towns, having an aggregate estimated population of 2,231,933. Total number of deaths, 554, including diphtheria 10, enteric fever 4, measles 4, and 55 from phthisis pulmonalis. Cases: Diphtheria 131, enteric fever 26, measles 108, scarlet fever 91, whooping cough 1, and tuberculosis 77.

Week ended July 13, 1907. Number of localities reporting, 43. Estimated population, 2,233,961. Total number of deaths, 571; diphtheria 7, enteric fever 4, measles 5, phthisis pulmonalis 46. Cases: Diphtheria 116, enteric fever 28, measles 104, scarlet fever 87, smallpox 1, and tuberculosis 84.

Week ended July 20, 1907. Number of localities reporting, 42. Estimated population, 2,196,877. Total number of deaths, 644; diphtheria 5, enteric fever 6, measles 2, phthisis pulmonalis 55. Cases: Diphtheria 115, enteric fever 37, measles 79, scarlet fever 77, smallpox 1, and tuberculosis 95.

Week ended July 27, 1907. Number of localities reporting, 40. Estimated population, 2,140,909. Total number of deaths, 663; diphtheria 4, enteric fever 7, measles 6, phthisis pulmonalis 49. Cases: Diphtheria 120, enteric fever 36, measles 106, scarlet fever 62, leprosy 1, and tuberculosis 71.

MINNESOTA—*Minneapolis*.—Month of August, 1907. Estimated population, 285,000. Total number of deaths, 250, including diph-

theria 4, enteric fever 4, and 16 from tuberculosis. Cases: Diphtheria 35, enteric fever 7, scarlet fever 9, smallpox 1, and tuberculosis 23.

NEBRASKA—*Lincoln*.—Month of August, 1907. Estimated population, 55,000. Total number of deaths, 57, including enteric fever 4 and 3 from tuberculosis. Cases: Diphtheria 4, scarlet fever 2, and smallpox 3.

NEW JERSEY—*West Hoboken*.—Three weeks ended September 21, 1907. Estimated population, 35,000. No deaths reported. Cases: Diphtheria 13, enteric fever 3, and scarlet fever 6.

OHIO—*East Liverpool*.—Month of August, 1907. Estimated population, 20,000. Total number of deaths, 28, including enteric fever 1 and 1 from tuberculosis. Cases: Enteric fever 7, scarlet fever 2, and tuberculosis 1.

OREGON.—Month of April, 1907. Reports to the State board of health from 33 counties show as follows: Total number of deaths, 422, including diphtheria 7, enteric fever 9, measles 2, scarlet fever 3, and 28 from tuberculosis. Cases: Diphtheria 28, enteric fever 31, measles 115, scarlet fever 14, smallpox 18, and tuberculosis 18.

Month of May, 1907. Total number of deaths, 451, including diphtheria 9, enteric fever 4, measles 1, and 41 from tuberculosis. Cases: Diphtheria 43, enteric fever 16, measles 299, scarlet fever 32, smallpox 8, and tuberculosis 13.

Month of June, 1907. Total number of deaths, 392, including diphtheria 1, enteric fever 2, measles 4, scarlet fever 2, smallpox 1, and 29 from tuberculosis. Cases: Diphtheria 35, enteric fever 15, measles 320, scarlet fever 19, smallpox 11, and tuberculosis 9.

Month of July, 1907. Total number of deaths, 358, including diphtheria 6, enteric fever 17, measles 1, and 29 from tuberculosis. Cases: Diphtheria 51, enteric fever 32, measles 120, scarlet fever 21, smallpox 6, and tuberculosis 9.

UTAH.—Month of August, 1907. Reports to the State board of health from 27 counties, having an estimated population of 346,873, show as follows: Total number of deaths, 280, including diphtheria 10, enteric fever 7, whooping cough 5, and 5 from tuberculosis. Cases: Diphtheria 76, enteric fever 81, measles 46, scarlet fever 29, smallpox 3, whooping cough 185, and tuberculosis 10. (Incomplete.)

WASHINGTON—*Seattle*.—Month of August, 1907. Estimated population, 240,000. Total number of deaths, 226, including diphtheria 3, enteric fever 20, whooping cough 1, and 20 from tuberculosis. Cases: Diphtheria 24, enteric fever 120, measles 7, scarlet fever 13, smallpox 18, and tuberculosis 11.